



GALLANT RED

with Black Roof



STEERING MOUNTED CONTROLS

Experience ease of accessing music and calls with one touch.



STYLISH

DUAL TONE EXTERIOR

An ultra-modern Dual Tone Exterior that adds personality

to your drive with bold and eye-catching design.

Elevate your driving experience with sleek new technology that makes your life smooth and comfortable.





ADVANCED K-SERIES ENGINES WITH IDLE START-STOP (ISS)"

For improved Engine efficiency & a truly powerful drive.

25.19#km/I FOR PETROL VARIANT*

34.05 km/kg FOR CNG VARIANT

5 1.2 L ADVANCED K-SERIES DUAL JET,
DUAL VVT ENGINE WITH ISS##



To I NEXT-GEN K-SERIES DUAL JET,

DUAL VVT ENGINE WITH ISS**



STRONG ON PERFORMANCE

A drive that's powerful enough to keep up with the world.

****Only applicable for K10C Engine

"For Petrol variants *For 1.0L VXI AGS Variant

"As certified by Test Agency Under Rule 115 (G) of Central Motor Vehicles Rules 1989.








FEATURES & SPECIFICATIONS	VARIANTS				
GRADE NAME	LXI 1,0L / LXI CNG 1,0L	VXI 1,0L / VXI AGS 1,0L / VXI 1,0L CNG	ZXI 1,2L/ ZXI AGS 1,2L	ZXI+ 1,2L/ ZXI+ AGS 1,2L	
		INTERIORS			
Dual Tone Interiors	✓	✓	✓	✓	
2nd Row 60:40 Split Seat	-	√	✓	✓	
Front Cabin Lamps (3 Positions)	✓	✓	✓	✓	
Day/Night IRVM	-	√	✓	√	
Tilt Steering	-	√	✓	✓	
Steering Wheel Garnish	-	1	✓	✓	
Silver Inside Door Handles	=	✓	✓	✓	
Driver Side Sunvisor with Ticket Holder	1	1	✓	1	
Front Passenger Side Vanity Mirror Sunvisor	=	✓	✓	✓	
Silver Finish Gear Shift Knob (AGS Only)	-	✓	✓	✓	
	INSTI	RUMENT CLUSTER			
Instrument Cluster Meter Theme	Reddish Amber	Reddish Amber	Reddish Amber	White	
Low Fuel Warning	✓	1	✓	✓	
Tachometer	-	=	-	✓	
Gear Shift Indicator (MT Only)	1	✓	✓	✓	
Gear Position Indicator (AGS Only)	-	✓	✓	√	
Fuel Consumption (Instantaneous and Avg.)	✓	✓	✓	✓	
Distance to Empty	✓	✓	✓	✓	
Headlamp On Warning	1	1	✓	✓	
Door Ajar Warning Lamp	1	1	✓	✓	
	COMFO	RT & CONVENIENCE			
Idle Start Stop (ISS)	✓ (Petrol)	✓ (Petrol)	✓	√	
Rear Defogger	-	-	-	✓	
Remote Keyless Entry	-	1	✓	✓	
Accessory Socket Front Row with Storage Space	√	1	✓	✓	
Power Windows (Fr/Rr) with Dr. Side Auto Down Function	Only Front	1	✓	✓	
AC & Heater	✓	1	✓	✓	
1L Bottle Holders (All Four Doors + Floor Console)	✓	1	✓	✓	
Rear Parcel Tray	CNG Only	1	✓	√	
Co-Driver Side Front Seat Under Tray & Rear Back Pocket	-	-	-	√	
Reclining & Front Sliding Seats	1	1	1	1	

FEATURES & SPECIFICATIONS	VARIANTS				
GRADE NAME	LXI 1.0L / LXI CNG 1.0L	VXI 1.0L / VXI AGS 1.0L / VXI 1.0L CNG	ZXI 1.2L/ ZXI AGS 1.2L	ZXI+ 1.2L/ ZXI+ AGS 1.2L	
17.78 cm Smartplay Studio with		MENT SYSTEM			
Smartphone Navigation	=	-	-	✓	
Smartplay Dock		1	√	-	
Apple CarPlay and Android Auto+		-	-	√	
Bluetooth Number of Speakers		√ 2	2	4	
USB CONNECTIVITY/AUX		✓	√ ×	4 ✓	
Steering Mounted Audio Control		_	√	1	
Steering Mounted Voice Control		_		1	
Occurring mounted voice dominal	SAFETY	& SECURITY		•	
Driver Airbag	✓	✓	√	1	
Passenger Airbag	√	✓	1	1	
ABS with EBD	√	4	√	1	
Seat Belt Pre-tensioner & Force Limiters (Dr.+Co-Dr.)	√	4	1	1	
Seat Belt Reminder with Buzzer (Dr.+Co-Dr.)	√	1	1	1	
(Dr.+Co-Dr.) Speed Alert System^^	· ·	· ·	1	1	
Speed Sensitive Auto Door Lock			· √	· /	
Security Alarm		,	√		
Rear Parking Sensors	√	· ·	√	1	
Central Door Locking	· ·	· ·	1	1	
Child Proof Rear Door Lock	✓	✓	√	✓	
Front Fog Lamps		-	-	√	
Hill Hold Assist	-	AGS	AGS	AGS	
		FERIORS			
Roof Antenna	√	✓	✓	✓	
Full Wheel Cover	(Centre Cap)	1	1	-	
Alloy Wheels	-	-	-	√	
ORVM with Turn Indicators	_	_	_	1	
Electrical Adjustable ORVM		1	1	1	
Electrical Retractable ORVM	_	_	_	1	
		_			
Rear Wiper & Washer		-		1	
B-Pillar Black Out Tape	-	-	✓	✓	
Body Coloured Door Handles	=	✓	✓	✓	
Body Coloured Bumpers	✓	✓	✓	✓	
Body Coloured ORVMs	-	1	1	(Black in Dual Tone)	
Dual Tone Exteriors	-	-	-	√ (Optional)	

FEATURES & SPECIFICATIONS	PETROL & ONG				
	1.0L		1.2L		
Variants	LXI, LXI CNG, VXI, VXI AGS, VXI CNG		ZXI, ZXI AGS, ZXI+, ZXI+ AGS		
	DIMENSIONS				
Length (mm)	3655				
Width (mm)	1620				
Height (mm)	1675				
Wheelbase (mm)	2435				
Turning Radius (m)	4.7				
	ENGINE				
Туре	K10C		K12N		
Capacity (cc)		998	1197		
Number of cylinders		3	4		
	Petrol	49.0 kW @ 5500 rpm	66.0 kW @ 6000 rpm		
Maximum engine output (kW @ rpm)	CNG	41.7 kW @5300 rpm (CNG mode) 48.0 kW @5500 rpm (Petrol mode)	=		
	Petrol	89.0 Nm @ 3500 rpm	113.0 Nm @ 4400 rpm		
Maximum torque (Nm @ rpm)	CNG	82.1 Nm @ 3400 rpm (CNG mode) 89.0 Nm @ 3500 rpm (Petrol mode)	=		
		SUSPENSION			
Front	MacPherson Strut with Coil Spring				
Rear	Torsion Beam with Coil Spring				
Seating Capacity	CAPACITIES				
Seating Capacity					
Fuel Tank Canacity (Litros)	22 (Potrol) / 60 /	SNC evilador water filling capacity)	22 (Potrol)		
Fuel Tank Capacity (Litres)	32 (Petrol) / 60 (I	CNG cylinder water filling capacity)	32 (Petrol)		
Fuel Tank Capacity (Litres) Boot Space (Litres)	32 (Petrol) / 60 (I	CNG cylinder water filling capacity) 341^ (Pet			
Boot Space (Litres)		CNG cylinder water filling capacity)	rol)		
	155/80F	CNG cylinder water filling capacity) 341^ (Pet WHEELS & TYRES			
Boot Space (Litres)	155/80F	CNG cylinder water filling capacity) 341^(Pet WHEELS & TYRES 113 (LXI 1.0L/ LXI CNG 1.0L)	rol)		
Boot Space (Litres) Size	155/80F	CNG cylinder water filling capacity) 341^ (Pet WHEELS & TYRES 813 (LXI 1,0L/ LXI CNG 1,0L) 114 (VXI 1.0L, VXI 1.0L CNG)	rol) 165/70R14 (ZXI 1.2L, ZXI+ 1.2L) Radial & Tubeless. Steel Wheels (ZXI 1.2L)		
Boot Space (Litres) Size	155/80F	CNG cylinder water filling capacity) 341^ (Pet WHEELS & TYRES 313 (LXI 1,0L/ LXI CNG 1,0L) 114 (VXI 1,0L, VXI 1,0L CNG) & Tubeless, Steel Wheels	rol) 165/70R14 (ZXI 1.2L, ZXI+ 1.2L) Radial & Tubeless. Steel Wheels (ZXI 1.2L)		
Boot Space (Litres) Size Type**	155/80F	CNG cylinder water filling capacity) 341^ (Pet WHEELS & TYRES 113 (LXI 1.0L/ LXI CNG 1.0L) 114 (VXI 1.0L, VXI 1.0L CNG) & Tubeless, Steel Wheels BRAKES	rol) 165/70R14 (ZXI 1.2L, ZXI+ 1.2L) Radial & Tubeless, Steel Wheels (ZXI 1.2L) Radial & Tubeless, Alloy Wheels (ZXI+ 1.2L)		
Boot Space (Litres) Size Type** Front	155/80F	CNG cylinder water filling capacity) 341^ (Pet WHEELS & TYRES 313 (LXI 1,0L/ LXI CNG 1,0L) 814 (VXI 1,0L, VXI 1,0L CNG) & Tubeless, Steel Wheels BRAKES Disc	rol) 165/70R14 (ZXI 1.2L, ZXI+ 1.2L) Radial & Tubeless, Steel Wheels (ZXI 1.2L) Radial & Tubeless, Alloy Wheels (ZXI+ 1.2L)		
Boot Space (Litres) Size Type** Front	155/80F	CNG cylinder water filling capacity) 341^ (Pet WHEELS & TYRES 313 (LXI 1.0L/ LXI CNG 1.0L) 114 (VXI 1.0L, VXI 1.0L CNG) & Tubeless, Steel Wheels BRAKES Disc Drum	rol) 165/70R14 (ZXI 1.2L, ZXI+1.2L) Radial & Tubeless, Steel Wheels (ZXI 1.2L) Radial & Tubeless, Alloy Wheels (ZXI+1.2L)		
Boot Space (Litres) Size Type** Front Rear Gross Vehicle Weight (kg)	155/80F	CNG cylinder water filling capacity) WHEELS & TYRES 113 (LXI 1,0L/ LXI CNG 1,0L) 114 (VXI 1,0L, VXI 1,0L CNG) & Tubeless, Steel Wheels BPAKES Disc Drum WEIGHT	rol) 165/70R14 (ZXI 1.2L, ZXI+1.2L) Radial & Tubeless, Steel Wheels (ZXI 1.2L) Radial & Tubeless, Alloy Wheels (ZXI+1.2L)		
Boot Space (Litres) Size Type** Front Rear	155/30F 165/70F Radial	CNG cylinder water filling capacity) 341 ^ (Pet WHEELS & TYRES 113 (LXI 1,0L/ LXI CNG 1,0L) 114 (VXI 1,0L, VXI 1,0L CNG) & Tubeless, Steel Wheels BRAKES Disc Drum WEIGHT 1340	rol) 165/70R14 (ZXI 1.2L, ZXI+ 1.2L) Radial & Tubeless, Steel Wheels (ZXI 1.2L) Radial & Tubeless, Alloy Wheels (ZXI+ 1.2L)		


Colour specifications



Drive with a mileage of:


 WagonR Petrol 1L
 WagonR CNG 1L
 WagonR Petrol 1.2L

 24.35* km/l
 25.19* km/l
 34.05* km/kg
 23.56* km/l
 24.43* km/l



Dimensions (in mm)





All variants are BS VI (including OBD-II) compliant. *As certified by Test Agency Under Rule 115 (G) of Central Motor Vehicles Rules 1989. AGS: Auto Gear Shift; MT: Manual Transmission.

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment and will differ according to the variant. Any offers made will be subject to availability of the product. For more details, contact your nearest store. **Spare wheel material is steel (for all variants). *VDA Method.

Android Auto" exte^{} and Google Play.*. *Android platform into the car in a way that's purpose-built for driving. It is designed to minimise distraction so you can focus on driving with Google Maps.** and Google Search.*. Get the Android Auto app on Google Play.*. *Android Auto app on Google Play.*. *Android Auto is available in the countries listed at the following link: https://www.android.com/auto/#hit-the-road. *Most phones with Android 5.0+ work with Android 5.0+ work with Android Auto. This peed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning will rouse indicate any malfunction in vehicle.

Android Auto app on Google Play.. *Android Auto in Android 5.0+ work with Android



For more details, contact Toll Free No: 1800 102 1800, 1800 1800 180

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi 110070, Tel. 011-46781000.